

FIG. 1

2/7

IBM Web/Sphere Portal - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back - → × Q Search Favorites Media

Address Go Links »

Welcome Joe Edit Layout New Page Edit My Profile Help Log Off

Work with Pages Property Broker Travel

Travel Request

Travel Request Portlet

Enter data for your new travel

Traveler: JOE

Destination: New York

Departure Date: 5.10.2002

Reason: Conference

Flight Reservation: (no flight entered)

Add Flight

Submit

Travel Request Status Portlet

Destination	Status	Processor
New York	Approved	Gordon, Mary
London	Rejected	Gordon, Gordon

Done Local Intranet

30

32

FIG.2A




FIG.2B

4/7

IBM Web/Sphere Portal - Microsoft Internet Explorer									
File		Edit		View		Favorites		Tools	
<input type="button" value="Back -"/>		<input type="button" value="Search"/>		<input type="button" value="Favorites"/>		<input type="button" value="Media"/>		<input type="button" value="Help"/>	
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input text"="" type="button" value="Address: <input type="/>"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Web/Sphere Portal"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Welcome"/> <input type="button" value="Work with Pages"/> <input type="button" value="Property Broker"/> <input type="button" value="WorkFlow"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Flight Book Portlet"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Travel Request :"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Employee : JOE"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Reason : Conference"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Departure Date : 5/10/2002 8:00 am"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Origin Airport : Frankfurt"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Destination Airport : New York"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Airline : Lufthansa"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Class : Economy"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input text"="" type="button" value="Origin Airport (IATA code): <input type="/>"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input text"="" type="button" value="Destination Airport (IATA code): <input type="/>"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Airport selection list:"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Alesund, Norway (AES)"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Abersdeen, Scotland, United Kingdom (ABZ)"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Aberdeen, SD, USA (ABR)"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Abu Dhabi, United Arab Emirates (AUM)"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input text"="" type="button" value="Departure Date (yyyy/mm/dd) <input type="/>"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input text"="" type="button" value="Return Date (yyyy/mm/dd) <input type="/>"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input text"="" type="button" value="Departure Time (hh:mm) <input type="/>"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input text"="" type="button" value="Return Time (hh:mm) <input type="/>"/> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Done"/> </div>									

38

FIG 2C
—40

42




FIG. 3




FIG. 4




FIG.5